

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2018

Confirm consecutive 12-mth period (mth-yr to mth-yr)	Sept/2018 - Aug/2019
Sector	School Board
Agency Sub-sector	School Board
Organization Name	Upper Canada District School Board

Operation Name	Operation Type	Address	City	Postal Code	Total Floor Area	Unit	Log hrs/yr	Swimming Pool	(Yes/No)	Number of Portables	Electricity Quantity	Electricity Unit	Natural Gas Quantity	Natural Gas Unit	Fuel Oil 1 & 2 Quantity	Fuel Oil 1 & 2 Unit	Fuel Oil 4 & 6 Quantity	Fuel Oil 4 & 6 Unit	Propane Quantity	Propane Unit	Coal Quantity	Coal Unit	Wood Quantity	Wood Unit	District Heating Quantity	District Heating Unit	Renewable?	If Yes, enter Emission Factor	District Cooling Quantity	District Cooling Unit	Renewable?	If Yes, enter Emission Factor	GHG Emissions (kg)	Energy Intensity (kWh/sqft)	Building / Operation Identifier	Comments		
Stephenson Building	School	2160 Yonge Street	Toronto	M7A 2G5	135,054.00	Square feet	70	Yes		10	2,181,025.00000 kWh	kWh	125,300.00000	Cubic Meter																								
Almonte & District High School	School	126 Martin Street	NAlmonte	K0A 1A0	97,822.42	Square feet	60	No		0	351,387.73960 kWh	kWh	16,866.74254	Cubic Meter																								
Arkian Community PS	School	123 Patterson Cres.	Carleton Place	K7C 4R2	51,926.07	Square feet	60	No		0	317,639.99805 kWh	kWh	50,266.20030	Cubic Meter																								
Athens District High School	School	21 Church Street, P. Athens	K0E 1B0		47,746.55	Square feet	60	No		0	157,607.33247 kWh	kWh	54,845.67997	Cubic Meter																								
Beechwith PS	School	1523 8th Line of Be	Carleton Place	K7C 3P2	12,816.94	Square feet	60	No		0	445,152.26078 kWh	kWh	127,015.85004	Cubic Meter																								
Benson Public School - Sold April	School	4005 James Street, Cardinal	K0E 1E0		32,010.79	Square feet	60	No		0	20,992.99945 kWh	kWh	59,713.57033	Cubic Meter																								
Bridgewood PS	School	850 Nick Kaneb Driv	Cornwall	K6H 0G4	51,053.00	Square feet	60	No		0	286,755.10944 kWh	kWh	44,182.49521	Cubic Meter																								
Brookville Board Office	Administrative offices and related facilities	225 Central Avenue	Brookville	K6V 5X1	34,900.00	Square feet	60	No		0	635,724.00549 kWh	kWh	33,215.72715	Cubic Meter																								
Brookville Collegiate Institute	School	90 Pearl Street East	Brookville	K6V 1P8	17,816.94	Square feet	60	No		0	445,152.26078 kWh	kWh	127,015.85004	Cubic Meter																								
Caldwell Street Public School	School	70 Caldwell Street	Carleton Place	K7C 3A5	54,127.40	Square feet	60	No		0	73,605.35828 kWh	kWh	181,924.24097 kWh	Cubic Meter																								
Cambridge PS	School	2123 Route 500 We	Embrun	K0A 1W0	22,597.05	Square feet	60	No		2	220,352.66461 kWh	kWh	23,255.92814	Cubic Meter																								
Carleton Place HS	School	215 Lake Avenue W	Carleton Place	K7C 1M3	112,633.55	Square feet	60	No		5	618,881.82031 kWh	kWh	144,253.95428	Cubic Meter																								
Centennial '81 Public School	School	7 Henderson Street, Spencer	K0E 1K0		15,600.14	Square feet	60	No		0	221,221.99668 kWh	kWh																										
Central Public School	School	200 Amelia Street	Cornwall	K6H 0A5	52,166.20	Square feet	60	No		0	278,022.44952 kWh	kWh	37,463.88729	Cubic Meter																								
Char-Lan District High School	School	19743 County Road	Williamstown	K0C 2J0	65,823.47	Square feet	60	No		0	59,371.12128 kWh	kWh																										
Chesterville PS	School	38 Colgate Street, P. Chester	K0E 1H0		16,193.23	Square feet	60	No		2	173,660.99727 kWh	kWh																										
Child and Family Treatment Centre	School	1520 Cumberland	Sicamous	K6L 4L1	16,571.04	Square feet	60	No		0	72,000.85699 kWh	kWh																										
Chimo Elementary School	School	11 Ross Street	Smiths Falls	K7A 4V7	18,066.97	Square feet	60	No		2	267,456.16063 kWh	kWh	49,146.88225	Cubic Meter																								
Commonwealth Public School	School	166 Pearl Street	Brookville	K6V 1R4	46,669.09	Square feet	60	No		0	151,099.99963 kWh	kWh	22,091.00000	Cubic Meter																								
Cornwall Collegiate & VS	School	437 Sydney Street	Cornwall	K6H 3H9	176,156.79	Square feet	60	No		0	839,135.25073 kWh	kWh	29,275.63859	Cubic Meter																								
Drummond Central PS	School	1460 Drummond Street	Perth	K7H 3C8	18,287.87	Square feet	60	No		0	20,905.61124 kWh	kWh																										
Duncan J Schouler PS	School	41 McGill Street	Smiths Falls	K7A 3M9	40,828.59	Square feet	60	No		0	187,643.93921 kWh	kWh	26,060.50908	Cubic Meter																								
Earners Corners PS	School	2258 Pitt Street	Cornwall	K6E 1A3	24,441.59	Square feet	60	No		5	298,074.24036 kWh	kWh	25,338.15301	Cubic Meter																								
Front of Yonge Public School	School	1504 County Road 2	Marysville	K0E 1R0	18,016.50	Square feet	60	No		0	296,309.50052 kWh	kWh																										
Gananoque Secondary School	School	175 William Street	Gananoque	K7G 1S8	127,584.63	Square feet	60	No		0	484,054.99998 kWh	kWh	207,955.41988	Cubic Meter																								
Glenn Tay PS	School	155 Harper Road, R. Perth	K7H 3C6		30,584.58	Square feet	60	No		0	25,459.18769 kWh	kWh	73,431.00000	Cubic Meter																								
Glengarry DHS	School	212 Main Street	NAlmonte	K0A 1A0	131,080.73	Square feet	60	No		0	682,470.00013 kWh	kWh	144,626.00131	Cubic Meter																								
Iroquois PS	School	6 Lakeshore Drive	PtOroquois	K0E 1K0	14,066.12	Square feet	60	No		3	140,466.12448 kWh	kWh	19,867.44236	Cubic Meter																								
Kempville Public School - Sold S	School	2754 Reuben Cres., Kemptville	K0G 1J0		27,512.51	Square feet	60	No		8	64,994.36437 kWh	kWh	27,854.20706	Cubic Meter																								
Kempville Public School (new)	School	224 County Road 44	Kemptville	K0G 1J0	33,859.00	Square feet	60	No		3	332,859.00000 kWh	kWh	33,850.09422	Cubic Meter																								
Laggar PS	School	20345 Glenelg Road	Dalkeith	K0E 1E0	24,597.89	Square feet	60	No		0	247,519.99799 kWh	kWh																										
Linklater Public School	School	300 Stone Street	Gananoque	K7G 1Y8	30,611.92	Square feet	60	No		0	167,073.80127 kWh	kWh	62,726.19089	Cubic Meter																								
Lombardy Public School	School	596 Highway 15, R. Lombard	K0G 1L0		29,851.55	Square feet	60	No		0	157,633.55518 kWh	kWh																										
Longue Salet PS	School	13 Bethune Street, Long	Sau	K0C 1P0	23,905.03	Square feet	60	No		1	108,058.75049 kWh	kWh	18,016.05605	Cubic Meter																								
Lyn Public School	School	38 Main St E	Lyn	K0E 1M0	20,735.75	Square feet	60	No		3	125,827.33411 kWh	kWh	24,303.93707	Cubic Meter																								
Maple Grove Public School	School	151 George Street, Lanark	K0E 1K0		29,571.05	Square feet	60	No		0	82,300.76017 kWh	kWh																										
Maxville PS	School	15 Alexander Street	Maxville	K0E 1T0	25,963.63	Square feet	60	No		0	84,497.71292 kWh	kWh																										
Maynard Public School	School	21 Stewart Drive, R. Prescott	K0E 1T0		36,966.49	Square feet	60	No		0	167,675.49927 kWh	kWh	45,189.28479	Cubic Meter																								
Meadowview Public School	School	9234 Addison-Green	Addition	K0E 1A0	30,514.50	Square feet	60	No		0	136,138.94666 kWh	kWh	20,218.78301	Cubic Meter																								
Merriville Public School	School	305 Drummond Street	Merriville	K0E 1A0	17,236.50	Square feet	60	No		0	126,075.16138 kWh	kWh	3,527.98360	Cubic Meter																								
Montague Public School	School	1200 Rosedale Road	Smiths Falls	K7A 4S6	28,927.99	Square feet	60	No		4	266,377.99673 kWh	kWh																										
Morrisburg PS	School	16 Second Street, B.	Morrisbu	K0C 1X0	28,385.51	Square feet	60	No		0	124,295.48517 kWh	kWh	52,073.81403	Cubic Meter																								
Nainith Memorial PS	School	260 King Street Box	Almonte	K0A 1A0	49,623.33	Square feet	60	No		0	177,460.84009 kWh	kWh	97,832.57323	Cubic Meter																								
Nantaweg PS	School	3045 County Road 150	Nantaweg	K0E 1K0	40,188.05	Square feet	60	No																														

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2017

Confirm consecutive 12-mth period (mth-yr to mth-yr)	Sept/2017 - Aug/2018
Sector	School Board
Agency Sub-sector	School Board
Organization Name	Upper Canada District School Board

Operation Name	Operation Type	Address	City	Postal Code	Total Floor Area	Unit	Log kWh/m ²	Swimming Pool	(Yes/No)	Number of Portables	Electricity Quantity	Electricity Unit	Natural Gas Quantity	Natural Gas Unit	Fuel Oil 1 & 2 Quantity	Fuel Oil 1 & 2 Unit	Fuel Oil 4 & 6 Quantity	Fuel Oil 4 & 6 Unit	Propane Quantity	Propane Unit	Coal Quantity	Coal Unit	Wood Quantity	Wood Unit	District Heating Quantity	District Heating Unit	Renewable*	If Yes, enter Emission Factor	District Cooling Quantity	District Cooling Unit	Renewable*	If Yes, enter Emission Factor	GHG Emissions (kg)	Energy Intensity (kWh/sqft)	Building / Operation Identifier	Comments		
Stephenson Building	School	2160 Yonge Street	Toronto	M7A 2G5	135,034.00	Square feet	70	Yes	0	2,218,065.00000	kWh	125,300.00000	Cubic Meter												26.73000	Giga Joule	No	0.00000	20,50600	Giga Joule	No	0.00000	271,626.11618	18.15342		max. 255 characters		
Almonte & District High School	School	126 Martin Street	N. Almonte	K0A 1A0	97,822.40	Square feet	60	No	0	384,090.95863	kWh	140,155.67892	Cubic Meter																									
Arkham Community PS	School	123 Patterson Cres.	Carleton Place	K7C 4R2	51,926.07	Square feet	60	No	0	394,243.63074	kWh	58,386.85883	Cubic Meter																									
Athens District High School	School	21 Church Street	P. Athens	K0E 1B0	47,746.25	Square feet	60	No	0	155,690.66666	kWh	49,947.79000	Cubic Meter																								Manually added missi	
Beckwith PS	School	1523 8th Line of Be	Carleton Place	K7C 3P2	42,832.50	Square feet	60	No	0	597,728.00004	kWh																											
Benson Public School - Closed	AuSchool	4005 James Street	Cardinal	K0E 1E0	32,010.79	Square feet	60	No	0	23,901.24976	kWh	61,670.91642	Cubic Meter																									
Bridgewood PS	School	850 Nick Kaneb Driv	Cornwall	K6H 0G4	51,059.00	Square feet	60	No	0	288,938.00000	kWh	36,955.34817	Cubic Meter																									
Brookville Board Office	Administrative offices and related facilities	225 Central Avenue	Brookville	K6V 5X1	34,900.00	Square feet	60	No	0	711,108.00010	kWh	36,632.88601	Cubic Meter																									
Brookville Collegiate Institute	School	90 Pearl Street East	Brookville	K6V 1P8	123,864.94	Square feet	60	No	0	442,346.87228	kWh	123,486.91099	Cubic Meter																									
Caldwell Street Public School	School	70 Caldwell Street	Carleton Place	K7C 3A5	54,127.00	Square feet	60	No	0	181,527.27209	kWh	74,477.20840	Cubic Meter																									
Cambridge PS	School	2123 Route 500	W. Embarras	K0A 1W0	30,570.00	Square feet	60	No	1	198,101.33194	kWh	21,395.23130	Cubic Meter																									
Carleton Place HS	School	153 Lake Avenue	W. Carleton Place	K7C 1M3	112,633.59	Square feet	60	No	0	631,763.63135	kWh	138,421.70601	Cubic Meter																									
Centennial '81 Public School	School	7 Henderson Street	Spencerville	K0E 1X0	15,600.14	Square feet	60	No	0	189,668.99826	kWh																											
Central Public School	School	200 Amelia Street	Cornwall	K6H 0A5	55,781.00	Square feet	60	No	0	289,697.54858	kWh	33,126.11165	Cubic Meter																									
Char-Lan District High School	School	19743 County Road	Williamstown	K0C 2J0	45,591.99927	Square feet	60	No	0	54,268.93581	kWh																											
Chesterville PS	School	38 Colgate Street	P. Chesterville	K0C 1H0	16,961.20	Square feet	60	No	1	175,115.99911	kWh																											
Child and Family Treatment Cent	School	1520 Cumberland St	Cornwall	K6J 4E1	16,571.94	Square feet	60	No	0	70,412.27931	kWh																											
Chimo Elementary School	School	11 Ross Street	Smiths Falls	K7A 4V7	38,070.00	Square feet	60	No	3	303,818.72098	kWh	42,987.79158	Cubic Meter																									
Commonwealth Public School	School	166 Pearl Street	Brookville	K6V 1R4	46,669.00	Square feet	60	No	0	108,896.04163	kWh	22,091.00000	Cubic Meter																									
Cornwall Collegiate & VS	School	437 Synnott Street	Cornwall	K6H 3H9	176,156.78	Square feet	60	No	0	925,617.45287	kWh	194,501.51599	Cubic Meter																									
Dalhousie Home for Youth/Sec20	School	1292 Rosedale Road	Smiths Falls	K7A 6S6	6,358.24	Square feet	60	No	0	21,389.75780	kWh																											
Drummond Central PS	School	1469 Drummond Sch	Perth	K7H 3C8	16,778.00	Square feet	60	No	0	21,988.55691	kWh																											
Duncan J Schouler PS	School	41 McGill Street	Smiths Falls	K7A 3M9	40,868.00	Square feet	60	No	0	168,580.06360	kWh	47,765.19000	Cubic Meter																									
Earnest Corners PS	School	2258 Pitt Street	Cornwall	K6E 1A3	34,382.00	Square feet	60	No	4	232,639.38641	kWh	26,569.51509	Cubic Meter																									
East Front PS - CLOSED AUG2016	School	1810 Montreal Road	Cornwall	K6H 5R5	23,663.38	Square feet	60	No	0	8,181.15360	kWh																											
Front of Yonge Public School	School	1504 County Road 2	Maloryct	K0E 1R0	18,916.50	Square feet	60	No	0	260,255.99999	kWh																											
Gananoque Secondary School	School	175 William Street	Gananoque	K7G 1S8	127,884.00	Square feet	60	No	0	949,500.00000	kWh	178,551.51173	Cubic Meter																									
Gladstone PS - CLOSED AUG 2015	School	825 MacConnell Ave	Cornwall	K6H 4M5	21,209.19	Square feet	60	No	4	6,620.33686	kWh																											
Glen Tay PS	School	155 Harper Road	R. Perth	K7H 3C6	27,070.00	Square feet	60	No	0	79,879.99991	kWh	33,366.21635	Cubic Meter																									
Glenary DHS	School	212 Main Street	No. Alexandria	K0C 1A0	113,880.75	Square feet	60	No	0	669,510.00769	kWh	126,868.45783	Cubic Meter																									
Iroquois PS	School	6 Lakeshore Drive	P. Iroquois	K0E 1K0	25,818.00	Square feet	60	No	3	145,194.80780	kWh	19,237.47263	Cubic Meter																									
Kempville Public School - closed	School	215 Reuben Cres.	Kempville	K0G 1K0	28,036.00	Square feet	60	No	0	43,229.28004	kWh	26,574.78489	Cubic Meter																									
Kempville Public School (new)	School	224 County Road 44	Kempville	K0G 1J0	44,390.37	Square feet	60	No	3	320,465.00000	kWh	29,537.37850	Cubic Meter																									
Laggan PS	School	20345 Glenelg Road	Kelso	K0B 1E0	24,597.69	Square feet	60	No	0	278,623.99725	kWh																											
Linklater Public School	School	300 Stone Street	Gananoque	K7G 1Y8	38,761.90	Square feet	60	No	0	107,510.38488	kWh	64,362.40811	Cubic Meter																									
Lombardy Public School	School	595 Highway 15, R. Lombard	K0C 1J0		29,811.55	Square feet	60	No	0	145,501.00881	kWh																											
Longue Sault PS	School	13 Bethune Street	Long Sault	K0C 1P0	23,919.00	Square feet	60	No	1	15,140.03123	kWh																											
Lyn Public School	School	38 Main St E	Lyn	K0E 1M0	20,983.00	Square feet	60	No	3	125,149.66675	kWh																											
Maple Grove Public School	School	15 George Street	Lanark	K0C 1K0	29,957.00	Square feet	60	No	0	83,029.19882	kWh																											
Maxville PS	School	15 Alexander Street	Maxville	K0C 1D0	25,663.20	Square feet	60	No	0	40,482.78041	kWh																											
Maynard Public School	School	21 Stewart Drive	R. Prescott	K0E 1T0	36,966.49	Square feet	60	No	0	174,847.99979	kWh	42,922.40685	Cubic Meter																									
Meadowview Public School	School	9234 Addison-Green	Addison	K0E 1A0	50,644.50	Square feet	60	No	0	134,623.99854	kWh	33,448.34779	Cubic Meter																									
Merrickville Public School	School	306 Drummond St	Merrickville	K0C 1M0	17,326.00	Square feet	60	No	0	167,240.29028	kWh	3,344.78673	Cubic Meter																									
Montague Public School	School	1200 Rosedale Road	Smiths Falls	K7A 4S6	28,948.00	Square feet	60	No	0	22,893.93488	kWh																											

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2013														Energy Type and Amount Purchased and Consumed in Natural Units										Total (calculated in webform)											
Operation Name	Operation Type	Address	City	Postal Code	Total Floor Area Unit	Avg hrs/yr	Swimming Pool (Yes/No)	Number of Portables	Electricity		Natural Gas		Fuel Oil 1 & 2		Fuel Oil 4 & 6		Propane		Coal		Wood		District Heating			District Cooling			GHG Emissions (kg)	Energy Intensity (kWh/sq ft)	Building / Operation Identifier	Comments			
									Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit					enter Emission Factor	Quantity	Unit
Stephenson Building	School	2160 Yonge Street	Toronto	M7A 2G5	135,034.00	Square meters	70	Yes	10	2,181,065.00000	kWh	125,300.00000	Cubic meters									26.23000	Giga Joule	No	0.00000	20.50600	Giga Joule	No	0.00000	337,681.97816	21.75734				
Almonte & District High School	School	126 Martin Street North, Box 880	Almonte	K0A 1A0	97,822.42	Square feet	60	No	0	401,849.03360	kWh	162,452.26023	Cubic Meter																						
Arkton Community PS	School	123 Patterson Cres.	Carlton Place	K7C 4R2	51,926.07	Square feet	60	No	0	388,263.95410	kWh	43,262.31349	Cubic Meter																						
Althens District High School	School	21 Church Street, P.O. Box 279	Althens	K0E 1B0	47,746.53	Square feet	60	No	0	279,505.31799	kWh	70,333.56748	Cubic Meter																						
Beckwith PS	School	1523 9th Line of Beckwith, R.R. #2	Carlton Place	K7C 3P2	52,832.50	Square feet	60	No	0	673,884.29199	kWh																								
Benson Public School	School	4005 James Street, Box 340	Cardinal	K0E 1E0	32,010.79	Square feet	60	No	0	80,654.60324	kWh																								
Brookville Board Office	Administrative offices and related facilities	225 Central Avenue	Brookville	K6V 5X1	34,900.00	Square feet	60	No	0	811,819.82434	kWh	49,224.50447	Cubic Meter																						
Brookville Collegiate Institute	School	90 Pearl Street East	Brookville	K6V 1P8	123,854.34	Square feet	60	No	0	152,223.21078	kWh	53,236.47585	Cubic Meter																						
Caldwell Street Public School	School	70 Caldwell Street	Carlton Place	K7C 3A5	54,127.40	Square feet	60	No	0	292,674.05005	kWh																								
Cambridge PS	School	2123 Route 500 West	Embrun	K0A 1W0	38,729.00	Square feet	60	No	3	216,117.32471	kWh	27,756.29739	Cubic Meter																						
Carleton Place HS	School	215 Lake Avenue West	Carlton Place	K7C 1M3	112,633.55	Square feet	60	No	0	711,260.15137	kWh	159,989.75629	Cubic Meter																						
Centennial 167 Public School	School	7 Henderson Street, P.O. Box 100	Spencerville	K0E 1A0	15,600.14	Square feet	60	No	0	181,732.12163	kWh																								
Central Public School	School	200 Amelia Street	Corwall	K6H 0A5	52,476.00	Square feet	60	No	4	138,656.80600	kWh	30,650.26584	Cubic Meter																						
Char-Lan District High School	School	19743 County Road 17	Williamstown	K0C 2J0	65,823.47	Square feet	60	No	0	484,626.66278	kWh																								
Chesterville PS	School	38 College Street, P.O. Box 489	Chesterville	K0C 1H0	16,193.23	Square feet	60	No	0	205,463.98083	kWh																								
Child & Family Treatment Centre (Mer School)	School	235 Third Street West	Corwall	K6J 2P2	19,254.40	Square feet	60	No	0	79,866.66592	kWh	40,905.63091	Cubic Meter																						
Child & Family Treatment Centre (K School)	School	1500 Cumberland Street	Corwall	K6J 4L1	15,000.00	Square feet	60	No	0	79,896.10254	kWh																								
Chimo Elementary School	School	11 Ross Street	Smiths Falls	K7A 4V7	56,530.97	Square feet	60	No	2	256,903.03903	kWh	61,783.78631	Cubic Meter																						
Commonwealth Public School	School	166 Pearl Street	Brookville	K6V 1R4	46,669.09	Square feet	60	No	0	34,141.27957	kWh	72,039.08409	Cubic Meter																						
Corwall Collegiate & VS	School	437 Sydney Street	Corwall	K6H 3H9	176,156.78	Square feet	60	No	0	599,674.17945	kWh	191,662.05462	Cubic Meter																						
Dalhousie Home for Youth(SEC20)	School	1292 Rosedale Road N	Smiths Falls	K7H 4S6	6,358.74	Square feet	60	No	0	91,146.18335	kWh																								
Drummond Central PS	School	1469 Drummond School Rd., R.R. # 6	Perth	K7H 3C8	20,591.87	Square feet	60	No	2	35,524.16294	kWh	22,984.89983	Litre																						
Duncan J. Schouler PS	School	41 McGill Street	Smiths Falls	K7A 3M9	42,320.00	Square feet	60	No	2	251,219.47240	kWh	56,015.14250	Cubic Meter																						
Earnest Conners PS	School	2258 Pitt Street	Corwall	K6K 1A3	27,361.00	Square feet	60	No	8	246,867.10041	kWh	30,938.92679	Cubic Meter																						
East Front PS	School	1810 Montreal Road	Corwall	K6H 1B5	23,663.88	Square feet	60	No	0	101,128.31804	kWh	21,479.91759	Cubic Meter																						
Front of Yonge Public School	School	1504 County Road 2	Mallorytown	K0E 1R0	18,916.50	Square feet	60	No	0	268,974.47836	kWh																								
Gananoque Secondary School	School	175 William Street South, Box 640	Gananoque	K0C 1S8	127,584.63	Square feet	60	No	0	569,594.34357	kWh	212,092.55612	Cubic Meter																						
Gladstone PS Annex	School	550 9th St. East	Corwall	K6H 2V7	9,093.34	Square feet	60	No	2	47,723.90028	kWh	10,501.76409	Cubic Meter																						
Gladstone PS	School	825 MacConnell Avenue	Corwall	K6H 4M4	28,816.51	Square feet	60	No	0	122,091.88748	kWh	18,428.53708	Cubic Meter																						
Glen Tay PS	School	155 Harper Road, R.R. 4	Perth	K7H 3C6	30,084.58	Square feet	60	No	3	140,155.20813	kWh	31,746.90455	Cubic Meter																						
Glengarry DHS	School	212 Main Street North	Alexandria	K0C 1A0	131,080.75	Square feet	60	No	0	703,447.83763	kWh	146,891.78088	Cubic Meter																						
Iroquois PS	School	6 Lakeview Drive PO Box 9	Hoquias	K0E 1P0	25,101.96	Square feet	60	No	2	142,883.10887	kWh	30,747.60178	Cubic Meter																						
Kempville Public School	School	215 Kingston Cres., P.O. Box 70	Kempville	K0E 1J0	28,816.51	Square feet	60	No	12	630,525.79224	kWh	33,294.52596	Cubic Meter																						
Laggan PS	School	20345 Glenelg Road	Dalkeith	K0B 1E0	24,597.69	Square feet	60	No	0	299,582.59808	kWh																								
Linklater Public School	School	300 Stone Street	Gananoque	K0C 1Y8	38,761.92	Square feet	60	No	0	138,762.27406	kWh	67,088.34658	Cubic Meter																						
Lombardy Public School	School	596 Pitt Street	Lombardy	K0D 1J0	29,651.55	Square feet	60	No	0	185,901.40137	kWh	28,835.29987	Litre																						
Longue PS	School	13 Bethune Street, P.O. Box 460	Long Sault	K0C 1P0	23,137.00	Square feet	60	No	0	18,870.37960	kWh																								
Lyn Public School	School	38 Main Street East, P.O. Box 184	Lyn	K0E 1M0	20,983.00	Square feet	60	No	3	122,996.78432	kWh	20,277.91650	Cubic Meter																						
Maple Grove Public School	School	151 George Street, P.O. Box 90	Lanark	K0C 1K0	29,957.04	Square feet	60	No	0	110,187.95663	kWh																								
Maxville PS	School	15 Alexander Street, P.O. Box 550	Maxville	K0C 1T0	25,963.63	Square feet	60	No	0	111,571.0972	kWh																								
Maynard Public School	School	21 Stewart Drive, R.R. #2	Perth	K7H 3C7	38,964.00	Square feet	60	No	0	46,974.69920	kWh	19,413.69975	Litre																						
Meadowview Public School	School	9234 Addison-Greenbush Road RRR#	Addison	K0E 1A0	29,794.50	Square feet	60	No	0	208,724.37659	kWh	30,929.35643	Cubic Meter																						
Merrickville Public School	School	306 Drummond Street East, Box 520	Merrickville	K0C 1N0	15,683.55	Square feet	60	No	2	233,206.76685	kWh																								
Montague Public School	School	1200 Rosedale Road South RRA#5	Smiths Falls	K7A 4S6	27,391.99	Square feet	60	No	2	251,463.84423	kWh	19,890.39985	Litre																						
Morrisburg PS	School	16 Second Street, Box #17	Morrisburg	K0C 1X0	28,885.15	Square feet	60	No	0	118,861.45156	kWh	36,535.15284	Cubic Meter																						
Naismith Memorial PS	School	26																																	

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2012

Confirm consecutive 12-mth period (mth-yr or mth-yr)

School Board

Agency Sub-sector

Upper Canada District School Board

Please fill in the mandatory fields indicated in red, in addition to submitting data on your energy usage

Operation Name	Operation Type	Address	City	Postal Code	Total Floor Area	Unit	Avg hrs/wk	Swimmin # Pool	Number of Portables	Energy Type and Amount Purchased and Consumed in Natural Units												Total (calculated in webform)			Energy Intensity (kWh/m ² /ft ²)	Building / Identifier	Comments								
										Electricity		Natural Gas		Fuel Oil 1 & 2		Fuel Oil 4 & 6		Propane		Coal		Wood		District Heating				District Cooling							
										Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity				Unit	Renewable	Factor	Quantity	Unit	Renewable	Factor	GHG Emissions (kg)
Stephens Building	School	2160 Yonge Street	Toronto	M7A 3G5	15,029 Square meters	50	No	Yes	0	2,181,665.00000 kWh	175,300.00000 Cubic Meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00000	26,780.00000 Giga Joule	0.00000	20,500.00000 Giga Joule	0.00000	0.00000	305,555.29	18.76	max 255 characters	
Amoré & District High School	School	126 Martin Street North, Box 880	Almonte	K0A1A0	97,822.42 Square feet	50	No	0	0	404,117.14 kWh	134,649.58 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	305,555.29	18.76	Used last years natural gas due to suspect billing info and also used last years gas due to incomplete information	
Arkens Community PS	School	123 patterson Cres.	Carleton Place	K7C4R2	51,926.07 Square feet	50	No	0	0	339,098.93 kWh	34,924.93 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	109,712.64	13.68	Used last years electricity due to missing information from Hydro	
Atlanta District High School	School	21 Church Street, P.O. Box 279	Athens	K0E1B0	48,514.00 Square feet	50	No	0	0	236,419.37 kWh	50,892.46 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	126,367.38	16.02	Used last years electricity due to suspect information from Hydro	
Bickwith PS	School	1523 9th Line of Beckwith, R.R. #2	Carleton Place	K7C3P2	52,832.50 Square feet	50	No	0	0	539,905.22 kWh	0.00 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	70,193.08	10.22	Used last years electricity due to suspect information from Hydro	
Benkins Public School	School	4065 James Street, Box 340	Cardinal	K0E1E0	32,010.79 Square feet	50	No	0	0	18,865.28 kWh	5.92 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	2,463.80	0.59	Used last years electricity due to suspect information from Hydro - free heat from generation plant next door	
Brockville Board Office	Administrative offices and related facilities	225 Central Avenue	Brockville	K0V5X1	34,900.00 Square feet	50	No	0	0	824,665.20 kWh	40,892.31 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	184,054.24	36.08	Used last years electricity due to suspect information from Hydro	
Brockville Collegiate Institute	School	90 Pearl Street East	Brockville	K0V1P8	131,534.94 Square feet	50	No	0	0	515,843.85 kWh	95,824.72 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	247,126.22	11.66	Used last years electricity due to suspect information from Hydro also used last years gas due to missing info from this years readings	
Cadwell Street Public School	School	70 Cadwell Street	Carleton Place	K7C3A5	55,663.40 Square feet	50	No	0	0	275,238.24 kWh	83,190.95 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	192,105.34	20.83	Used last years electricity due to suspect information from Hydro	
Cambridge PS	School	2123 Route 500 West	Embrun	K0A1W0	27,597.05 Square feet	50	No	3	0	203,756.92 kWh	21,129.49 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	66,194.22	15.52	Used last years electricity due to suspect information from Hydro	
Carameck PS	School	351 Bridge Street	Carleton Place	K7C3H9	30,832.14 Square feet	50	No	0	0	152,111.59 kWh	43,571.42 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	101,649.78	19.95	Used last years electricity due to missing information from Hydro	
Carleton Place HS	School	215 Lake Avenue West	Carleton Place	K7C1M3	112,633.56 Square feet	50	No	0	0	787,431.55 kWh	140,805.76 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	364,357.66	20.10	Used last years electricity due to suspect information from Hydro	
Centennial '87 Public School	School	7 Henderson Street, P.O. Box 100	Spencerville	K0E1X0	15,600.14 Square feet	50	No	0	0	149,986.13 kWh	0.00 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	19,499.70	9.61	Used last years electricity due to suspect information from Hydro	
Central Public School	School	200 Amelia Street	Corwall	K8H0A5	49,094.20 Square feet	50	No	0	0	281,995.04 kWh	32,864.32 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	98,416.54	12.86	Used last years electricity due to suspect information from Cornwall Electric	
Chan-Lan District High School	School	19743 County Road 17	Williamstown	K0C2J0	65,823.46 Square feet	50	No	0	0	416,830.99 kWh	55,695.56 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	158,822.04	15.32	Used last years electricity due to suspect information from Hydro	
Chesterville PS	School	38 College Street, P.O. Box 489	Chesterville	K0C1H0	16,193.23 Square feet	50	No	0	0	181,547.13 kWh	0.00 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	23,602.94	11.21	Used last years electricity due to suspect information from Hydro	
Child & Family Treatment Centre (Men)	Administrative offices and related facilities	235 Third Street West	Corwall	K6L2P3	19,254.48 Square feet	50	No	0	0	107,901.42 kWh	47,635.66 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	103,539.00	31.90	Used last years electricity due to suspect information from Cornwall Electric	
Chino Elementary School	School	111 Ross Street	Smiths Falls	K7A4V7	55,702.87 Square feet	50	No	1	0	260,491.66 kWh	46,048.14 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	120,394.20	13.45	Used last years electricity due to suspect information from Hydro	
Chromewalth Public School	School	166 Pearl Street	Brockville	K0V1P4	46,669.69 Square feet	50	No	0	0	95,150.37 kWh	66,043.04 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	136,469.99	17.08	Used last years electricity due to suspect information from Hydro	
Cornwall Collegiate & VS	School	437 Sydney Street	Corwall	K8H5H9	176,156.78 Square feet	50	No	0	0	1,128,596.08 kWh	144,809.30 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	418,835.59	15.14	Used last years electricity due to suspect information from Cornwall Electric also used last years gas due to suspect information	
Dalhousie Home for Youth (Sec20)	School	1262 Rosedale Road N.	Smiths Falls	K7A4S6	10,198.24 Square feet	50	No	0	0	101,196.62 kWh	0.00 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	13,156.57	9.92	Used last years electricity due to suspect information from Hydro	
Drummond Central PS	School	1492 Drummond Street Rd., R.R. #	Perth	K7H3C8	21,359.87 Square feet	50	No	2	0	55,995.32 kWh	0.00 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	74,501.73	15.07	Used last years electricity due to suspect information from Hydro	
Duncan J. Schular PS	School	41 McGill Street	Smiths Falls	K7A3M9	41,596.59 Square feet	50	No	2	0	266,826.21 kWh	53,247.59 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	134,748.02	20.02	Used last years electricity due to suspect information from Hydro	
Earners Corners PS	School	2258 Pst Street	Corwall	K8K1A3	22,137.59 Square feet	50	No	4	0	197,338.25 kWh	26,636.52 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	75,707.83	20.70	Used last years electricity due to suspect information from Cornwall Electric	
East Front PS	School	1810 Montreal Road	Corwall	K8H5R5	23,663.38 Square feet	50	No	0	0	93,723.79 kWh	21,334.54 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	52,274.12	13.54	Used last years electricity due to suspect information from Cornwall Electric	
Front of Yonge Public School	School	1504 County Road 2	Malloytown	K0E1R0	19,684.50 Square feet	50	No	1	0	238,847.41 kWh	0.00 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	31,052.55	12.13	Used last years electricity due to suspect information from Hydro	
Gananoque Secondary School	School	175 William Street South, Box 640	Gananoque	K7G1S8	127,584.63 Square feet	50	No	0	0	523,194.32 kWh	179,381.88 Cubic Met	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00 Metric Ton	0.00	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	0.00	405,091.60	19.04	Used last years electricity due to suspect information from Hydro	
Gladstone PS																																			

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2011															Energy Type and Amount Purchased and Consumed in Natural Units													Total														
Confirm consecutive 12-month period from Sep 01, 2011 - Aug 31, 2012															Please fill in the mandatory fields indicated in red, in addition to																											
Type of Public Agency (Sector)			School Board												Agency Sub-sector																											
Organization Name			Upper Canada District School Board																																							
Operation Name and/or Unique Identifier			Total Floor Area of the Indoor Space in which Operation is Conducted		Average # Hours Per Week		Swimming Pool (Y/N)		Number of Portables		Electricity		Natural Gas		Fuel Oil 1 & 2		Fuel Oil 4 & 6		Propane		Coal		Wood		District Heating		Renewable e?		If Yes, enter Emission Factor		District Cooling		Renewable e?		If Yes, enter Emission Factor		GHG Emissions (kg)		Energy Intensity (kWh/sqft)		Comments	
Operation Name	Operation Type	Address	City	Postal Code	Total Floor Area	Unit1	Hours Per Week	Swimming Pool	Number of Portables	Electricity	Natural Gas	Fuel Oil 1 & 2	Fuel Oil 4 & 6	Propane	Coal	Wood	District Heating	Renewable e?	Emission Factor	District Cooling	Renewable e?	Emission Factor	GHG Emissions (kg)	Energy Intensity (kWh/sqft)	Comments																	
Almonte & District High School	School	126 Martin Street North, E. Almonte	K0A1A0		97,822.42	Square Feet	50	No		377,430.96 kWh	134,649.59 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	302,085.79	18.49																		
Alkhan Community PS	School	123 jafferson Cres.	Carleton P/K7C4R2		51,926.07	Square Feet	50	No		339,098.93 kWh	34,924.93 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	109,712.64	13.68																		
Althies District High School	School	21 Church Street, P.O. Box Althies	K0E1B0		48,514.00	Square Feet	50	No		236,410.39 kWh	51,110.37 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	126,177.22	16.07																		
Beckwith PS	School	1523 9th Line of Beckwith	Carleton P/K7C3P2		52,832.50	Square Feet	50	No		539,905.22 kWh	0.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	70,163.08	10.22																		
Benson Public School	School	4005 James Street, Box 3	Carleton K0E1E0		32,010.78	Square Feet	50	No		18,865.28 kWh	0.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	2,452.68	0.59	Free heat from generation plant r																	
Brockville Board Office	Administrative offices	225 Central Avenue	Brockville K9V5X1		34,900.00	Square Feet	50	No		824,665.20 kWh	35,795.09 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	174,476.20	34.53																		
Brockville Collegiate Institute	School	90 Pearl Street East	Brockville K9V1P6		19,534.24	Square Feet	50	No		515,843.85 kWh	95,824.72 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	247,126.22	11.68																		
Caldwell Street Public School	School	70 Caldwell Street	Carleton P/K7C3A5		59,663.40	Square Feet	50	No		275,233.24 kWh	83,190.58 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	192,105.34	20.83																		
Cambridge PS	School	2123 Route 500 West	Embrun K0A1W0		27,587.05	Square Feet	50	No	3.00	203,756.92 kWh	18,714.74 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	61,656.74	14.59																		
Caramack PS	School	351 Bridge Street	Carleton P/K7C3H9		30,832.14	Square Feet	50	No		152,111.59 kWh	37,880.38 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	90,955.91	17.99																		
Carlton Place HS	School	215 Lake Avenue West	Carleton P/K7C1M3		112,633.36	Square Feet	50	No		797,431.55 kWh	152,466.25 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	386,269.10	21.20																		
Central Public School	School	7 Henderson Street, P.O. Spencer	K9E1E0		16,604.14	Square Feet	50	No		149,986.13 kWh	0.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	19,499.70	9.81																		
Char-Lan District High School	School	200 Amelia Street	Comwall K6H0A5		49,094.20	Square Feet	50	No		281,995.04 kWh	19,587.37 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	73,468.22	9.98																		
Chatham District High School	School	19743 County Road 17	Williamstown K0C2J0		65,823.46	Square Feet	50	No		416,630.99 kWh	48,822.37 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	145,908.85	14.21																		
Cheriville PS	School	58 College Street	Comwall K9R1A3		16,153.23	Square Feet	50	No		172,518.19 kWh	0.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	22,429.09	10.65																		
Child & Family Treatment Centre (Memorial Administrative offices)	Administrative offices	235 Third Street East	Comwall K6G2P3		19,254.48	Square Feet	50	No		107,901.42 kWh	41,409.54 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	81,939.32	28.46																		
Chimo Elementary School	School	11 Ross Street	Smiths Falls K7A4V7		55,762.97	Square Feet	50	No	1.00	260,491.66 kWh	37,740.41 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	104,783.39	11.86																		
Commonwealth Public School	School	166 Pearl Street	Brockville K9V1R4		46,669.09	Square Feet	50	No		113,895.76 kWh	59,743.57 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	127,069.95	16.05																		
Comwall Collegiate & VS	School	437 Sydney Street	Comwall K9R3H9		176,158.78	Square Feet	50	No		1,128,596.08 kWh	144,809.20 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	418,635.98	15.14																		
Dalhousie Home for Youth(Se20)	School	1292 Rosedale Road N.	Smiths Falls K7A4S6		19,189.24	Square Feet	50	No		101,196.82 kWh	0.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	13,156.57	9.92																		
Drummond Central PS	School	1469 Drummond School F	Perth K7H3C8		21,359.87	Square Feet	50	No	2.00	55,995.32 kWh	0.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	59,525.89	12.30																		
Duncan Junior Public PS	School	41 McGill Street	Smiths Falls K7A3M9		41,596.59	Square Feet	50	No	2.00	268,626.21 kWh	44,544.64 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	118,392.57	17.80																		
Eamers Corners PS	School	2208 Pitt Street	Comwall K9R1A3		22,137.50	Square Feet	50	No	4.00	197,338.25 kWh	25,303.69 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	73,203.21	21.00																		
East Front PS	School	1810 Montreal Road	Comwall K9H9R5		25,663.38	Square Feet	50	No		93,723.79 kWh	0.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	48,929.32	11.71																		
Front of Yonge Public School	School	1504 County Road 2	Malenyton K0E1R0		19,684.50	Square Feet	50	No	1.00	238,847.41 kWh	0.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	31,052.55	12.13																		
Gananoque Secondary School	School	175 William Street South,	Gananoque K7G1S8		127,584.63	Square Feet	50	No	4.00	1,257,335.64 kWh	169,597.72 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	387,244.90	18.26																		
Gladstone PS	School	825 McConnell Avenue	Comwall K9H4M5		21,208.19	Square Feet	50	No	2.00	114,394.98 kWh	12,358.15 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	38,094.32	11.59																		
Gladstone PS Annex	School	550 St. Eads	Comwall K9H2H7		9,065.34	Square Feet	50	No	2.00	52,852.14 kWh	8,862.62 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	16,842.62	10.68																		
Glen Tay PS	School	155 Harper Road, R.R. 4	Perth K7H3C6		30,084.58	Square Feet	50	No		152,970.37 kWh	26,825.42 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	66,972.15	13.70																		
Gleangary DHS	School	212 Main Street North	Alexandria K0C1A0		131,080.75	Square Feet	50	No		657,428.85 kWh	117,600.72 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	306,452.32	14.55																		
Ingoquo PS	School	6 Lakeview Drive PO Box Ingoquo	K0G1N0		25,565.96	Square Feet	50	No		197,338.25 kWh	21,281.80 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	57,252.41	15.18																		
Kempville Public School	School	215 Reuben Cres., P.O. E	Kempville K0C1H0		29,572.00	Square Feet	50	No	22.00	285,498.97 kWh	23,280.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	78,364.29	13.97																		
Kinsmen & Vincent Massey PS	School	1520 Cumberland Street	Comwall K6L4L1		16,571.04	Square Feet	50	No		81,108.01 kWh	17,920.44 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	44,218.60	16.39																		
Laggan PS	School	20345 Gleneyg Road	Dalhousie K0B1E0		24,597.69	Square Feet	50	No		239,083.52 kWh	0.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	31,083.25	9.72																		
Linklater Public School	School	300 Stone Street	Gananoque K7G1Y8		36,781.92	Square Feet	50	No		139,380.25 kWh	64,094.78 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	138,502.99	21.16																		
Lombardy Public School	School	598 Highway 15, R.R. #1	Lombardy K0G1L0		18,845.56	Square Feet	50	No		165,203.59 kWh	0.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	21,364.29	11.32																		
Longue Salet PS	School	13 Bethune Street, P.O. E	Long Sault K0C1P0		23,137.03	Square Feet	50	No		95,607.97 kWh	16,586.72 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	43,597.61	11.75																		
Lyn Public School	School	38 Main Street East, P.O. Lyn	K0E1M0		24,575.57	Square Feet	50	No	3.00	135,471.69 kWh	18,559.43 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric ton	0.00 Metric ton	0.00 Giga Joule No	0.00	0.00 Giga Joule No	0.00	52,487.17	13.54																		
Maple Grove Public School	School	151 George Street, P.O. E	Lanark K0G1N0		29,957.04	Square Feet	50	No		197,338.25 kWh	0.00 Cubic meter	22,695.50 Litre																														